

REPORTING YEAR 2019 Presented By City of Manistee

Our Mission Continues

We are once again pleased to present our annual water quality report covering all testing performed between January 1 and December 31, 2019. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal standards. We continually strive to adopt new methods for delivering the best-quality drinking water to you. As new challenges to drinking water safety

emerge, we remain vigilant in meeting the goals of source water protection, water conservation, and community education,

while continuing to serve the needs of all our water users.

Please remember that we are always available should you ever have any questions or concerns about your water.

Lead Service Lines

The City of Manistee has 3,000 service connections. Of those, 1,003 are copper, 9 are HDPE, and 161 are galvanized. A total of 1,827 are unknown at this time. We will be working diligently the next few years to identify the remaining.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to

lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or http://water.epa.gov/drink/hotline.



Where Does My Water Come From?

The City of Manistee customers are fortunate because we enjoy an abundant water supply. Our water source is groundwater from two natural aquifers. Four large water wells pump the water to two 500,000-gallon water towers. In 2019, we pumped 291,266,000 gallons of water.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791, or on the U.S. EPA's website at http://water.epa.gov/drink/info/ lead/index.cfm.

Questions?

For more information about this report, or your drinking water, please contact Jeff Mikula, Public Works Director, at (231) 723-7132, or by writing to this address: 70 Maple Street, Manistee, MI 49660. We want our valued customers to be informed about their water utility. For more information about safe drinking water, visit the U.S. Environmental Protection Agency at www. epa.gov/safewater/ or DEQ at www.michigan. gov/water. We will update this report annually and will keep you informed of any problems that may occur throughout the year, as they happen. Copies are available at the Department of Public Works, City Hall, and various other public locations.

Source Water Assessment

A Source Water Assessment Plan (SWAP) is now available at the Department of Public Works office, 280 Washington Street. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources.

According to the Source Water Assessment Plan, our water system had a susceptibility rating of "high." It is important to understand that this susceptibility rating does not imply poor water quality, only the system's potential to become contaminated within the assessment area. If you would like to review the Source Water Assessment Plan, please feel free to contact our office during regular office hours.

Count on Us

Delivering high-quality drinking water to our customers involves far more than just pushing water through pipes. Water treatment is a complex, time-consuming process. Because tap water is highly regulated by state and federal laws, water treatment plant and system operators must be licensed and are required to commit to long-term, on-the-job training before becoming fully qualified. Our licensed water professionals have a basic understanding of a wide range of subjects, including mathematics, biology, chemistry, and physics. Some of the tasks they complete on a regular basis include:

- Operating and maintaining equipment to purify and clarify water;
- Monitoring and inspecting machinery, meters, gauges, and operating conditions;
- Conducting tests and inspections on water and evaluating the results;
- Maintaining optimal water chemistry;
- Applying data to formulas that determine treatment requirements, flow levels, and concentration levels;
- Documenting and reporting test results and system operations to regulatory agencies; and
- Serving our community through customer support, education, and outreach.

So, the next time you turn on your faucet, think of the skilled professionals who stand behind each drop.

Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases, radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban storm-water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban storm-water runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.



Water Main Flushing

Distribution mains (pipes) convey water to homes, businesses, and hydrants in your neighborhood. The water entering distribution mains is of very high quality; however, water quality can deteriorate in areas of the distribution mains over time. Water main flushing is the process of cleaning the interior of water distribution mains by sending a rapid flow of water through the mains.

Flushing maintains water quality in several ways. For example, flushing removes sediments like iron and manganese. Although iron and manganese do not pose health concerns, they can affect the taste, clarity, and color of the water. Additionally, sediments can shield microorganisms from the disinfecting power of chlorine, contributing to the growth of microorganisms within distribution mains. Flushing helps remove stale water and ensures the presence of fresh water with sufficient dissolved oxygen, disinfectant levels, and an acceptable taste and smell.

During flushing operations in your neighborhood, some short-term deterioration of water quality, though uncommon, is possible. You should avoid tap water for household uses at that time. If you do use the tap, allow your cold water to run for a few minutes at full velocity before use, and avoid using hot water to prevent sediment accumulation in your hot water tank.

Please contact us if you have any questions or if you would like more information on our water main flushing schedule.

Water Treatment Process

The City of Manistee treats your water using phosphate, chlorine, and fluoride to remove or reduce harmful contaminants that may come from the source water. Our Wellhead Protection Program was started in 1996. The basic premise of the plan is to keep our water supply safe from contamination. A copy of the source water protection plan is available at Department of Public Works, 280 Washington Street, which provides more information such as potential sources of contamination. The City has an updated copy of our Well Head Protection Plan completed in 2015 in our DPW office, 280 Washington Street.

Community Participation

You can attend regular scheduled City Council meetings on the first and third Tuesday of each month at 7:00 p.m. in the City Hall Council Chambers, Third Floor, at 70 Maple Street.

Water Conservation Tips

You can play a role in conserving water and saving yourself money in the process by becoming conscious of the amount of water your household is using and by looking for ways to use less whenever you can. It is not hard to conserve water. Here are a few tips:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So, get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank.
 Watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from an invisible

toilet leak. Fix it and you can save more than 30,000 gallons a year.

 Use your water meter to detect hidden leaks. Simply turn off all taps and water-using appliances. Then check the meter after 15 minutes. If it moved, you have a leak.



Test Results

Our water is monitored for many different kinds of substances on a very strict sampling schedule. And, the water we deliver must meet specific health standards. Here, we show those substances that were detected in our water (a complete list of all our analytical results is available upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels.

The State recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

REGULATED SUBSTANCES											
SUBSTANCE (UNIT OF MEASURE)		YEAR SAMPLED	MCL MCLG [MRDL] [MRDLG]		AMOUNT DETECTED	RANGE LOW-HIGH		VIOLATIO	TYPICAL SOURCE		
Barium (ppm)		2019	2	2	0.03	0.01-0.03		No		Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits	
Chlorine (ppm)		2019	[4]	[4]	RAA 0.4	0.26-0.55		No	Water a	Water additive used to control microbes	
Fluoride (ppm)		2019	4	4	0.96	ND-0.96		No	promote	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories	
Haloacetic Acids [HAAs] (ppb)		2019	60	NA	4	4–4 No		No	By-proc	By-product of drinking water disinfection	
Nitrate (ppm)		2019	10	10	1.3	ND-	-1.3	No		Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits	
TTHMs [Total Trihalomethanes] (ppb)		2019	80	NA	17	.7 ND-1		No	By-proc	luct of drinking water disinfection	
Tap Water Samples Collected for Copper and Lead Analyses from Sample Sites throughout the Community											
SUBSTANCE YEAR (UNIT OF MEASURE) SAMPLI		AL	AMOUNT DETECTED MCLG (90TH %ILE)		RANGE LOV	AL/		ABOVE OTAL ES	VIOLATION	TYPICAL SOURCE	
Copper (ppm)	2019	1.3	1.3	0.5	ND-0.	79	0/	20	No	Corrosion of household plumbing systems; Erosion of natural deposits	
Lead (ppb)	ad (ppb) 2019 15		0	2	ND-5		0/	20	No	Corrosion of household plumbing systems; Erosion of natural deposits	
SECONDARY SUBSTANCES											
SUBSTANCE (UNIT OF MEASURE)		YEAR SAMPLED	SMCL MCLG		AMOUNT ETECTED	RANGE LOW-HIGH			TYPICAL SOURCE		
Manganese (ppb) 201		2014	50	NA	28.9	21.3–28.9)	No	Leaching from natural deposits		
OTHER UNREGULATED SUBSTANCES											
SUBSTANCE (UNIT OF MEASURE)			YEAR SAMPLED	AMOUN DETECT			TYPICAL SOURCE				
Perfluorooctanesulfonate Acid (PFOS) ¹ (ppt)		2018	ND	NA	NA	NA					
Perfluorooctanoic Acid (PFOA) ¹ (ppt)		2018	ND NA		NA	NA					
Sodium (ppm)			2019	16 NI		6 Erosion of natural deposits					

¹The City assisted with representatives from the State in testing for PFOs & PFOA from all well sites in 2018 and the results were non-detect.

Definitions

90th %ile: The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant

Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant

Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable.

ND (**Not detected**): Indicates that the substance was not found by laboratory analysis.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

ppt (parts per trillion): One part substance per trillion parts water (or nanograms per liter).

RAA: Running Annual Average.

SMCL (Secondary Maximum Contaminant Level): These standards are developed to protect aesthetic qualities of drinking water and are not health based.